


MHLY - 44, 538

PATH A: SOURCE TO ARS

400 URL OF ADVERTISER URL OF SOURCE

FIG. 4α



PATH C: SOURCE TO ADVERTISER

404 URL OF REQUEST-FOR- URL OF SOURCE

FIG. 4c

PATH D: ADVERTISER TO SOURCE


406 URL OF REQUESTED URL OF INFORMATION ADVERTISER


FIG. 4d


PATH E: ARS TO ADVERTISER (OPTIONAL)


URL OF REQUEST FOR URL OF ADVERTISER INFORMATION SOURCE

FIG. 4e










OPEN PAGE


URL OF ARS-

USE HYPERTEXT PROTOCOL

ALLOW VARIABLE APPENDING -

APPENDED VARIABLE (e.g., UPC CODE)-CARRIAGE RETURN — TRANSMIT DATA —







BLock 1410 1630 PROMPT FOR INPUT DEVICE ENTER INPUT DEVICE, TYPE, AND DISTRIBUTOR πJ 10 TO Black 1412 lba

 $\mathbb{F}_{\mathcal{G}}$ 1612 DISPLAY zóz WAND 1602 1600 1610. ADVERTISED SERVER F16,16 1802 180p U L USER Barcudo FROM. FROM SCAUNED FROM CIAND PC PRODUCT

F16.18




F16.19




								2100	>
	21	02		2104	7104	2,	108		٠.
	PRUDI		WAN	DISTR	USER IT	BC E-CO	UNERCE IINFO	•	
=	Bc.	ROUTE	ID.	DISTIN	1,101.12				
				·			* .		
L			!		1,	,		-)(-	
		ARS	s P	ATAR	ASE				

FIG. 21.



F16-22



F16-23

PHLY - 24, 6

